



# CYLINDRICAL

FUSE LINKS & FUSE HOLDERS/BASES

QUICK GUIDE

# CYLINDRICAL

FUSE LINKS & FUSE HOLDERS/BASES

## gG CYLINDRICAL fuse links

	8x32	10x38	14x51	22x58
U	400V	500V 400V	690V 500V 400V	690V 500V 400V
In	0.5A...20A	0.5A...25A 32A	1A...25A 32A   40A 50A	2A...63A 80A   100A 125A
BREAKING CAPACITY	20kA	120kA	80kA 120kA	80kA 120kA



## aM CYLINDRICAL fuse links

	8x32	10x38	14x51	22x58
U	400V	500V 400V	690V 500V 400V	690V 500V 400V
In	1A...10A	0.16A...16A 20A   25A	0.25A...25A 32A...45A 50A	2A...63A 80A   100A 125A
BREAKING CAPACITY	20kA	120kA	80kA 120kA	80kA 120kA



## PMX CYLINDRICAL fuse holders

**PATENTED DESIGN**

	8x32	10x38	14x51	22x58	22x65
U	400V AC/DC	690V AC 750V DC 24V DC	690V 24V DC	690V 24V DC	1000V AC 1000V DC
In	25A	32A	50A	100A 125A	100A
STANDARDS	UL US CSA LR	UL US CSA LR	UL US CSA LR	UL US CSA LR	UL US CSA LR



## PME CYLINDRICAL fuse holders

**PATENTED DESIGN**

	10x38
U	690V AC 750V DC
In	32A



# CYLINDRICAL

FUSE LINKS & FUSE HOLDERS/BASES

## PMX CC CLASS CYLINDRICAL fuse holders

PATENTED  
DESIGN



U 600V

In 30A

STANDARDS



## PMC CYLINDRICAL fuse holders

PATENTED  
DESIGN



U 400V 500V

In 25A 32A



## BAC CYLINDRICAL fuse holders



U 690V AC 750V DC 690V AC 750V DC

In 50A 100A




## Ø10 CLIP CONTACT CYLINDRICAL Ø10 fuse links



U UP TO 1500V AC/DC

In 25A





# PROTECTING THE WORLD

### HEAD OFFICE AND FACTORY

SILICI, 67-69  
08940 CORNELLA DE LLOBREGAT  
BARCELONA · SPAIN  
Tel. +34 93 377 85 85  
Fax +34 93 377 82 82

### INTERNATIONAL SALES

Tel. +34 93 475 08 64  
Fax +34 93 480 07 75  
export@dfelectric.es

### NATIONAL SALES

Tel. 93 475 08 64  
Fax 93 480 07 76  
comercial@dfelectric.es



[dfelectric.es](http://dfelectric.es)



According to the waste of electrical and electronic equipment directive, electrical material should not be part of the usual waste. This symbol alerts users that these products should be recycled according to local environmental waste disposal regulations.



The "electro technical expert" logo marked on the products included in this data sheet indicates that the installation of these products must be carried out by expert personnel with specialized knowledge.



To prevent electrical hazards, carry out the installation without voltage.



**Safety notice**  
Please capture the following QR code and read our safety notice carefully before installing our products.



The data reflected in this technical record are subject to the correct installation of the product in accordance with manufacturer's instructions, relevant installation standards and professional practices, maintained and used in applications for which they were made.

The products described in this document have been designed, developed and tested in accordance with specific standard. They are considered components that are integrated as part of installation, machine or equipment. The correct general operation of the referred product is responsibility of the manufacturer of the installation, machine or equipment.

DF ELECTRIC cannot guarantee the characteristics of an installation, machine or equipment that has been designed by a third party. Once a product has been selected, the user must verify that it is appropriate for its application, through the verifications and/or tests that it deems appropriate.

DF ELECTRIC retains the right to change the dimensions, specifications, materials or design of its products at any time with or without notice.

©2024 DF Electric. All rights reserved